


Synergy 21 LED track series for track VLD series 30W, 30°, nw, CRI>90



kwh/1000h:	30,00
Lumens:	4200
Watt:	30,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Model: VLD
Inclinable
ERCO compatible, 3-phase track
Housing: Injection moulded aluminium in white
Watt: 30 Watt
LED: Philips
PS: Philips, 5-year guarantee
Beam angle: 30° * 60°
Lumen: 4200±100LM
CRI: >90
Light colour: neutral white,
Kelvin: 4200K ±150
Operating voltage: AC 220-240V /50-60HZ
Size: 370mm * 60mm * 86mm

kWh/1000h: 30


Attributes

Attribute	Value
Abstrahlwinkel:	30

Attribute	Value
CRI:	>90
Dimmbar:	nein
Grösse:	370*60*86
LED - Gehäusefarbe:	weiss
LED - Gehäusematerial:	Aluminium
Lichtfarbe:	neutralweiss
Lichtfarbe in Kelvin:	4200
Lumen:	4200
Schutzklasse:	IP20
Sockel:	3Phasen
Volt:	230
Weight:	1.4 Kg
Warranty:	24.00 Months

Additional Images





Accessories

Part No.	Name
233432	Powergear 3PH AUFBAUSCHIENE, Weiss, 1 meter
233434	Powergear 3PH AUFBAUSCHIENE, Schwarz, 1 meter
233435	Powergear 3PH AUFBAUSCHIENE, Weiss, 2 meter
233436	Powergear 3PH AUFBAUSCHIENE, Schwarz, 2 meter
233437	Powergear 3PH AUFBAUSCHIENE, weiß, 3 meter
233438	Powergear 3PH AUFBAUSCHIENE, Schwarz, 3 meter

Part No.	Name
233439	Powergear 3PH EINBAUSCHIENE, Weiß, 1 meter
233440	Powergear 3PH EINBAUSCHIENE, Schwarz, 1 meter
233442	Powergear 3PH EINBAUSCHIENE, Weiß, 2 meter
233445	Powergear 3PH EINBAUSCHIENE, Schwarz, 2 meter
233446	Powergear 3PH EINBAUSCHIENE, Weiß, 3 meter
233447	Powergear 3PH EINBAUSCHIENE, Schwarz, 3 meter