


Synergy 21 LED track series for track VLD series 40W, 30°, nw, CRI>90, black



| | |
|----------------------------|------------|
| kwh/1000h: | 40,00 |
| Lumens: | 5600 |
| Watt: | 40,0 |
| Nominal Service Life: | 35000 Std. |
| Switching Cycles: | 50000 |
| Opt. Ambient Temperature.: | 25 °C |



Model: VLD
Inclinable
ERCO compatible, 3-phase track
Housing: Injection moulded aluminium in black
Watt: 40 Watt
LED: Philips
PS: Philips, 5-year guarantee
Beam angle: 30° * 60°
Lumen: 5600±100LM
CRI: >90
Light colour: neutral white,
Kelvin: 4200K ±150
Operating voltage: AC 220-240V /50-60HZ
Size: 370mm * 60mm * 86mm
IES files available on request

Energy efficiency class: A++
kWh/1000h: 40


Attributes

| Attribute | Value |
|-----------|-------|
|-----------|-------|

| | |
|------------------------|--------------|
| Abstrahlwinkel: | 30 |
| CRI: | >90 |
| Dimmbar: | nein |
| Grösse: | 370*60*86 |
| LED - Gehäusefarbe: | schwarz |
| LED - Gehäusematerial: | Aluminium |
| Lichtfarbe: | neutralweiss |
| Lichtfarbe in Kelvin: | 4200 |
| Lumen: | 5600 |
| Schutzklasse: | IP20 |
| Sockel: | 3Phasen |
| Volt: | 230 |
| Weight: | 1.8 Kg |
| Warranty: | 24.00 Months |

Additional Images





Accessories

| Part No. | Name |
|----------|---|
| 233432 | Powergear 3PH AUFBAUSCHIENE, Weiss, 1 meter |
| 233434 | Powergear 3PH AUFBAUSCHIENE, Schwarz, 1 meter |
| 233435 | Powergear 3PH AUFBAUSCHIENE, Weiss, 2 meter |
| 233436 | Powergear 3PH AUFBAUSCHIENE, Schwarz, 2 meter |
| 233437 | Powergear 3PH AUFBAUSCHIENE, weiß, 3 meter |
| 233438 | Powergear 3PH AUFBAUSCHIENE, Schwarz, 3 meter |

| Part No. | Name |
|----------|---|
| 233439 | Powergear 3PH EINBAUSCHIENE, Weiß, 1 meter |
| 233440 | Powergear 3PH EINBAUSCHIENE, Schwarz, 1 meter |
| 233442 | Powergear 3PH EINBAUSCHIENE, Weiß, 2 meter |
| 233445 | Powergear 3PH EINBAUSCHIENE, Schwarz, 2 meter |
| 233446 | Powergear 3PH EINBAUSCHIENE, Weiß, 3 meter |
| 233447 | Powergear 3PH EINBAUSCHIENE, Schwarz, 3 meter |