


Synergy 21 LED Flex Strip 60 NW DC12V 24W IP67



| | |
|----------------------------|------------|
| kwh/1000h: | 24,00 |
| Lumens: | 1500 |
| Watt: | 24,0 |
| Nominal Service Life: | 35000 Std. |
| Switching Cycles: | 50000 |
| Opt. Ambient Temperature.: | 25 °C |



Synergy 21 LED Flex Strip neutral white DC12V 24W

Voltage: 12V
Watt: 24W, 1500lm
Light colour: neutral white 4250k ± 250K
Beam angle: 120°
Number of LEDs: 300 (3528)
Protection class: IP67, empty tube
Dimensions: 5000*10*3 mm
Weight: 0.090 kg
Can be shortened every 3 LEDs
Adhesive tape for mounting aid on the back

Strip can be shortened at marking points with sharp scissors.
!Attention! Strip must be checked for functionality beforehand.
Only split the strip when no current is present.

Please note that LED strips must also be cooled.
Ensure that the LED strip does not exceed the working temperature of 40°C, otherwise the service life cannot be guaranteed.

Attributes

| Attribute | Value |
|-----------------------|-----------------------|
| Abstrahlwinkel: | 120 |
| Ampere: | 4 |
| CC oder CV: | CV |
| CRI: | >80 |
| Dimmbar: | abhängig vom Netzteil |
| Länge: | 5 |
| LED Strip Klebeband: | ja |
| LED Strip Breite: | 10 |
| LED Strip Höhe: | 3 |
| LED Strip Klebeband: | ja |
| LED Strip kürzbar: | 50 |
| LED Strip Länge: | 5000 |
| Lichtfabe in Kelvin: | 4250 |
| Lichtfarbe: | neutralweiß |
| Lichtfarbe in Kelvin: | 4250 |
| Lichtfarbe Name: | neutralweiß |
| Lumen: | 1500 |
| Schutzklasse: | IP67 |
| Volt: | 12 |
| Weight: | 0.1 Kg |

Accessories

| Part No. | Name |
|----------|--|
| 81069 | Synergy 21 LED zub Hollow Socket with Screw Terminals |
| 81068 | Synergy 21 LED zub wooden plug with screw terminals |
| 81741 | Synergy 21 LED Flex Strip add. Silicone mounting clip 10 pack |
| 139522 | Mean Well power supply - 12V 120W IP67 |
| 174654 | Synergy 21 LED FLEX-Streifen zub. Easy Connect I Form für 1 Linie klar |
| 174653 | Synergy 21 LED FLEX Strip add. Easy Connect I Form for 1 line red |

| Part No. | Name |
|----------|--|
| 174656 | Synergy 21 LED FLEX Strip zub. Easy Connect I Form für 2 Linie klar |
| 174655 | Synergy 21 LED FLEX Strip zub. Easy Connect I shape for 2 line red |
| 174648 | Synergy 21 LED FLEX-Strips add. Easy Connect T-shape for 1 line clear |
| 174650 | Synergy 21 LED FLEX-Streifen zub. Easy Connect T-Form für 1 Linie klar |
| 174647 | Synergy 21 LED FLEX Strip zub. Easy Connect T-Form für 1 Linie rot |
| 174649 | Synergy 21 LED FLEX Strip zub. Easy Connect T-Form für 1 Linie rot |
| 174652 | Synergy 21 LED FLEX-Streifen zub. Easy Connect T-Form für 2 Linien klar |
| 174651 | Synergy 21 LED FLEX Strip add. Easy Connect T-shape for 2 lines red |
| 174628 | Synergy 21 LED FLEX Strip zub. Easy Connect Strip to strip Joint 10mm IP65/54 |
| 174623 | Synergy 21 LED FLEX-Streifen zub. Einfacher Anschluss von Streifen an Kabel 10mm IP65/54 |
| 174632 | Synergy 21 LED FLEX strips add. Simple connection of strips to cable 8/10mm IP67 |