


Synergy 21 LED remote smart panel RGB-WW (RGB-CCT) 4 zones *Milight/Miboxer*



Experience full control over your lighting with the **4-Zone RGB+CCT Smart Panel Remote Controller**. This innovative control panel offers you the ability to control your RGB+CCT lighting flexibly and precisely, ideal for modern living and working areas.

The **4-Zone RGB+CCT Smart Panel Remote Controller** is specifically designed to control up to four different zones, giving you the freedom to create different lighting moods in different areas of your home or office. Whether you want a cosy atmosphere in the living room or a bright and productive environment in the office, this smart panel gives you the flexibility to customise your lighting according to your needs.

The controller works with a voltage of **AC90~110V or AC180~240V**, making it versatile and compatible with different power sources. The **transmission frequency of 2400-2483.5MHz** and the **GFSK** modulation method ensure a stable and reliable connection. With a **transmission power of 6dBm** and a **control range of up to 30 metres**, you can conveniently control your lighting from a distance.

The compact design of the panel with a size of **86*86mm** allows for easy integration into any environment. The user-friendly interface makes operation intuitive and straightforward, allowing you to easily adjust the brightness and colour temperature of your lighting.

The **4-Zone RGB+CCT Smart Panel Remote Controller** offers you a modern and efficient solution for controlling your lighting. Enjoy the benefits of this advanced technology that gives you precise and flexible lighting control. Order the **4-Zone RGB+CCT Smart Panel Remote Controller** now and transform your lighting experience. Create the perfect lighting mood for every occasion and make your home or office smarter and more comfortable.



4-zone wireless RGB-CCT Smart Panel

Product Name: 4-Zone RGB+CCT Smart Panel Remote Controller
 Model No.: T4
 Working Temperature: -20 -60°C
 Voltage: AC90~110V or AC180~240V
 Transmission Frequency: 2400-2483.5MHz
 Modulation Method: GFSK
 Transmitting Power: 6dBm
 Control Distance: 30m
 Panel Size: 86*86mm

Attributes

Attribute	Value
Grösse:	86*86
Weight:	0.15 Kg

Additional Images





9 color changing modes

9 color changing modes, choose the color atmospheres you want



4-zone individually control

Each zone control countless lamps or controllers



Simple but multi-functional

- NO wiring
- Moving easily
- 30m Distance remote control
- Sensitive Touching
- Scratch Resistance
- 16 million colors
- CCT Adjustable
- Saturation
- Brightness Dimming
- Contextual Mode


Compatible 4-zone RGB/RGBW/RGB+CCT series

Control all Mi-Light 4-zone LED bulbs, 4-zone LED controllers



High-end tempered glass panel

Scratching and crushing resistance



COMPATIBLE REMOTE SHEET

Product	Compatible Remote

Accessories

Part No.	Name
147689	Batterien Micro AAA 1,5V *Duracell* Industrial 10er Pack
124652	Synergy 21 LED dekoline wine glass RGB-W cw *Milight/Miboxer*
124657	Synergy 21 LED dekoline wine glass RGB-W ww *Milight/Miboxer*
147946	Synergy 21 LED Panel round 6W RGB-WW with RF and WLAN *Milight/Miboxer*
147979	Synergy 21 LED Panel round 12W RGB-WW with RF and WLAN *Milight/Miboxer*
147980	Synergy 21 LED panel round 15W RGB-WW with RF and WLAN IP54 *Milight/Miboxer*
148008	Synergy 21 LED garden lamp 9W RGB-WW with RF and WLAN IP65 24V *Milight/Miboxer*
148010	Synergy 21 LED garden lamp 9W RGB-WW with RF and WLAN IP65 230V *Milight/Miboxer*
148013	Synergy 21 LED floodlighter 10W RGB-WW (RGB-CCT) IP65 24V *Milight/Miboxer*
148015	Synergy 21 LED floodlighter 10W RGB-WW (RGB-CCT) IP65 230V *Milight/Miboxer*
148017	Synergy 21 LED floodlighter 20W RGB-WW (RGB-CCT) IP65 230V *Milight/Miboxer*
148018	Synergy 21 LED floodlighter 30W RGB-WW (RGB-CCT) IP65 230V *Milight/Miboxer*
148113	Synergy 21 LED floodlight 50W RGB-WW (RGB-CCT) IP65 230V *Milight/Miboxer*