
SYNERGY 21

Synergy 21 LED Flex Strip 60 RGB DC24V + RGB-WW (RGB-CCT) ein Chip ULS 10m





kwh/1000h:	220,00
Lumens:	12650
Watt:	200,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Synergy 21 LED Flex Strip UL Series ULS=Ultra Long Series

Voltage: 24V, Watt: 200W, 20W/m Light colour: RGB+CCT , RGB+2400K+6000K Brightness: 2400K=370lm/m, RGB+CCT= 1265lm/m Beam angle: 120° Protection class: IP20 Number of LEDs: 60*5050SMD 5in1 LEDs per metre Dimensions: 10000*15*3 mm PCB colour: white, open cable end (360±5mm) Working temperature: -25°C to +40°C Can be shortened every 6 LEDs Adhesive tape: yes 3M on the back

Energy efficiency class: A kWh/1000h: 220

Strip can be shortened at the cut marks with sharp scissors. !Attention! Strip must first be checked for functionality. Only split the strip when no current is present.

Our 3M adhesive tape adheres well, but should only be used as a mounting aid. There are a variety of mounting options, such as clips, permanently elastic mounting adhesive, cable ties, etc.



Synergy21 - A Brand of ALLNET GmbH - Maistraße 2 - 82110 Germering - synergy21@allnet.de - 089 / 894 222 22 Errors and technical changes that serve the interests of progress or development of the product, are reserved.

SYNERGY 21

Please note that LED strips must also be cooled.

Make sure that the LED strip does not exceed a working temperature of 40°C, otherwise its service life cannot be guaranteed.

No guarantee can be given for overheated LED strips

Attributes

Attribute	Value
Abstrahlwinkel:	120
Ampere:	8.30
CC oder CV:	CV
Dimmbar:	abhängig vom Netzteil
LED Strip Klebeband:	ja
LED Strip Breite:	15
LED Strip Höhe:	3
LED Strip kürzbar:	100
LED Strip Länge:	10000
Lichtfarbe:	RGB-WW
Schutzklasse:	IP20
Volt:	24
Weight:	1 Kg
Warranty:	24.00 Months


Additional Images

www.synergy21.de


Synergy21 - A Brand of ALLNET GmbH - Maistraße 2 - 82110 Germering - synergy21@allnet.de - 089 / 894 222 22 Errors and technical changes that serve the interests of progress or development of the product, are reserved.

SYNERGY 21

connect way 1



connect way 2



www.synergy21.de

Synergy21 - A Brand of ALLNET GmbH - Maistraße 2 - 82110 Germering - synergy21@allnet.de - 089 / 894 222 22 Errors and technical changes that serve the interests of progress or development of the product, are reserved.



Accessories

Part No.	Name
93682	Mean Well Power Supply - 24V 150W Dimmable IP65
181496	Synergy 21 LED Controller RGB-WW (RGB-CCT) DC12/24V *Milight/Miboxer*
149147	Synergy 21 LED Controller RGB-WW (RGB-CCT) DC12/24V *Milight/Miboxer*
180638	Synergy 21 LED Controller RGB-WW (RGB-CCT) DC12/24V WiFi 5in1*Milight/Miboxer* Alexa serieAs
178064	Synergy 21 LED controller RGB-WW (RGB-CCT) DC12/24V strip/panel 5in1*Milight/Miboxer*
148143	ynergy 21 LED Controller RGB-WW (RGB-CCT) DC12/24V Strip/Panel 5in1*Milight/Miboxer*
102250	

183258

