



Synergy 21 LED office line Stehlampe weiss, dimmbar+daylight sensor



kWh/1000h:	80,00
Lumen:	10200
Watt:	80,0
Nennlebensdauer:	35000 Std.
Schaltzyklen:	50000
Opt. Umgebungstemp.:	25 °C



Standleuchte zur Arbeitsplatzbeleuchtung




Rahmenfarbe: weiß RAL9003
Leistungsaufnahme : 80Watt, 40W up, 40W down
Lumenzahl: 10200lm
Neutralweiß: 4000k ±150
Farbwiedergabe: CRI >80
UGR: <18 bei Licht nach unten, kein UGR nach oben
Abstrahlwinkel: 80° (unten) 115° (oben))
Arbeitstemperatur: -20° bis +45°
Stromzufuhr: 100-240V
Netzteil: eingebautes Netzteil, dimmen über eingebauten Touchdimmer
Eingebauter Bewegungsmelder + Tageslichtsensor
Größe: Höhe: 1950mm, Standfuss: 300*460mm
Größe Lampenkopf: 310*610*30mm
Gewicht 17,1Kg
Material: Aluminium



kWh/1000h: 80

Merkmale

Merkmal	Wert
Gewicht:	17.1 Kg
Garantie:	60.00 Monate

Weitere Bilder





2. Daylight Sensor

- After each time the brightness was manually adjusted, the control unit record saves the brightness which the sensor detected until the next brightness dimming.
- Please be sure to adjust and dim the lamp at a comfortable and soft light state.
- The control unit is able to dim the light output up or down automatically, according to the changes of environment brightness to have a relatively constant light level for a desk in office situation.

Setting of sensors

Dip Switch	Motion Sensor	Daylight Sensor
0	OFF	OFF
1	ON	OFF
2	ON	ON
3	OFF	ON

Open the top cover, adjust the dip switch to the module with a screwdriver.