


## Synergy 21 LED Flex Strip COB NW DC24V 25W CRI>90

COVEFLEX DELI (4mm Width, 480LEDs/M)



kwh/1000h:	60,50
Lumens:	5225
Watt:	55,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Synergy 21 LED Flex Strip with COB chip

Length: 5m  
Voltage: 24V DC  
Watt: 5W/m, 25W  
Light colour: neutral white, 4000K, CRI>90  
Brightness: 575lm/m Total: 2875lm  
Protection class: IP20  
Number of LEDs: 480/m, total: 2400LEDs  
PCB width: 4mm  
Can be shortened every 50mm  
Adhesive tape: yes 3M on the back

Strip can be shortened at the cut marks with sharp scissors.  
!Attention! Strip must first be checked for functionality.  
Only split the strip when no current is applied.


Our 3M adhesive tape adheres well, but should only be used as a mounting aid.  
There are a variety of mounting options, such as clips, permanently elastic mounting adhesive, cable ties, etc.

Please note that LED strips must also be cooled.  
Make sure that the LED strip does not exceed a working temperature of 40°C, otherwise its service life cannot be guaranteed.  
No guarantee can be given for overheated LED strips.

## Attributes

Attribute	Value
Abstrahlwinkel:	120
Ampere:	2
CC oder CV:	CV
CRI:	>90
Dimmbar:	abhängig vom Netzteil
LED Strip Klebeband:	ja
LED Strip Breite:	8
LED Strip Höhe:	2
LED Strip kürzbar:	62.50
LED Strip Länge:	5000
Lichtfarbe:	neutralweiß
Lichtfarbe in Kelvin:	4000
Lumen:	5225
Schutzklasse:	IP20
Volt:	24
Weight:	0.6 Kg
Warranty:	24.00 Months

## Additional Images



## Accessories

Part No.	Name
93682	Mean Well Power Supply - 24V 150W Dimmable IP65