


Synergy 21 LED-Flex-Streifen 60 KW DC24V 72W IP62



Abbildung ähnlich



kwh/1000h:	72,00
Lumens:	4500
Watt:	72,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



LED Flex Strip cool white,
DC24V, max. 3A, 72W,
300Leds, 120°, 5050SMD
Length: 5000*12.9*5mm,
Lumen: 4600
6500K ±250
with adhesive tape
can be shortened every 6 LEDs
open cable end
Strip can be shortened at markings with sharp scissors.
!Attention! Strip must be checked for functionality beforehand.
Only split strip when no current is present.

Silicone coating from above, IP62
Suitable up to -20°C!

Energy efficiency class: A
kWh/1000h: 72

Please note that LED strips also need to be cooled.
Make sure that the LED strip does not exceed an operating temperature of 40°C, otherwise the service life cannot be guaranteed.

Attributes

Attribute	Value
Abstrahlwinkel:	120
Ampere:	3
CC oder CV:	CV
CRI:	>80
Dimmbar:	abhängig vom Netzteil
Länge:	5
LED Strip Klebeband:	ja
LED Strip Breite:	12.90
LED Strip Höhe:	5
LED Strip Klebeband:	ja
LED Strip kürzbar:	100
LED Strip Länge:	5000
Lichtfabe in Kelvin:	6500
Lichtfarbe:	kaltweiß
Lichtfarbe in Kelvin:	6500
Lichtfarbe Name:	kaltweiß
Lumen:	4600
Schutzklasse:	IP62
Volt:	24
Weight:	0.2 Kg
Warranty:	60.00 Months

Additional Images



Accessories

Part No.	Name
81069	Synergy 21 LED zub Hollow Socket with Screw Terminals
81068	Synergy 21 LED zub wooden plug with screw terminals
81741	Synergy 21 LED Flex Strip add. Silicone mounting clip 10 pack