


## Synergy 21 LED object/stadium spotlight 1200W IP66 nw



kwh/1000h:	1200,00
Lumens:	198000
Watt:	1200,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Operating voltage: AC 90-305V, 50/60Hz  
 LED: 620 LED Philips Lumileds 165lm/Watt  
 Power supply unit: MeanWell  
 Beam angle: Lens 90°, light heads variably adjustable (swivelling and tilting)  
 Beam angles with 10°, 30° or 60° also available on request.  
 Lumen: 198,000lm  
 Efficiency: 165Lm/Watt  
 Light colour: 4000K  
 CRI: Ra>70  
 Dimmable: no (Dimmable models such as DALI or 0-10V on request)  
 Housing: Aluminium  
 Operating temperature: -40°C to +60°C  
 Protection class: IP66  
 Dimensions: 1001\*277\*579mm


Energy efficiency class: A++  
 kWh/1000h: 1200


The connection of electrical components and systems may only be carried out by qualified specialists!

### Attributes

Attribute	Value
Abstrahlwinkel:	90
CRI:	>80
Dimmbar:	nein
Grösse:	1001*277*579
LED - Gehäusefarbe:	schwarz
LED - Gehäusematerial:	Aluminium
Lichtfarbe:	neutralweiß
Lichtfarbe in Kelvin:	4000
Lumen:	198000
Schutzklasse:	IP66
Volt:	230
Weight:	29.5 Kg
Warranty:	60.00 Months

## Additional Images





## Accessories

Part No.	Name
148726	Synergy 21 - Waterproof connector 1:1
148727	Synergy 21 - Waterproof connector 1:2
148730	Synergy 21 - Waterproof connector box 3 ports
148729	Synergy 21 - Waterproof connector box 3 ports transparent
148728	Synergy 21 - Waterproof connector box 4 ports
147265	Netzkabel 230V Schutzkontakt CEE7(Stecker)->Open End mit Adernendhülsen, 1,8m,Black