

Synergy 21 LED downlight Phos white, rund, schwenkbar CCT switchable



kwh/1000h:	5,50
Lumens:	500
Watt:	5,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Swivelling recessed ceiling spotlight with adjustable power and light colour

- Housing and bracket made of aluminium, stainless steel struts
- **Handle colour:** White
- **Wattage:** 5W / 8W adjustable via switch
- **Light colour:** 2700K / 3000K / 4000K / 5000K, **CRI > 80**
- **Luminous flux:**
 - **8W:** 700 lm / 780 lm / 800 lm / 780 lm
 - **5W:** 500 lm / 550 lm / 570 lm / 530 lm
 - Values each at **2700K / 3000K / 4000K / 5000K**
- **Beam angle:** 50°
- **Power supply:** Power supply unit included
- **Dimensions:**
 - Head diameter: 90 mm
 - Overall height: 38 mm
 - Installation hole size: 68 mm
- **Dimmable:** Yes, **TRIAC**
- **Protection class:** IP65 (front), IP20 (rear)

Attributes

Attribute	Value
-----------	-------

Abstrahlwinkel:	50
CRI:	>90
Dimmbar:	TRIAC
Grösse:	90*38
LED - Gehäusefarbe:	weiß
LED - Gehäuseform:	rund
LED - Gehäusematerial:	Aluminium
Lichtfarbe:	sww/ww/nw/kw
Lichtfarbe in Kelvin:	2700K/3000K/4000K/5000K
Lumen:	530-800
Schutzklasse:	IP20
schwenkbar:	Ja
Volt:	220-240
Weight:	0.5 Kg
Warranty:	60.00 Months

Additional Images



