SYNERGY 21

Synergy 21 LED Controller EOS 05 5-channel controller RGB-WW (RGB-CCT)


4 0 3 8 8 1 6 0 7 5 0 7 9

5 channel radio controller constant voltage
single colour, dual colour, RGB/RGB-W/RGB-WW
(Only compatible with the switches and remote controls of the EOS 05 RGB-CCT series)

Intuitive RGB colour selection freely selectable via colour wheel.
Individual colours dimmable (8 levels)
10 colour programmes (preset)
16 programme speeds selectable (4 sec. -256 sec.)
With status memory in case of power failure
Reception up to 15 metres away
Connected load: max. 5x5A
Power supply: 12-36VDC
Transmission power: >5dBm
Radio frequency: 868.3 MHz (EU approval - licence-free)
Dimensions: 59*170*29mm

Operating temperature: -20°C - +50°C
Protection class: IP20

Additional Images

www.synergy21.de

Synergy21 - A Brand of ALLNET GmbH - Maistraße 2 - 82110 Germering - synergy21@allnet.de - 089 / 894 222 22
Errors and technical changes that serve the interests of progress or development of the product, are reserved.
Page 1/4

Product Dimension

170.00 mm

59.00 mm

29.00 mm

Errors and technical changes that serve the interests of progress or development of the product, are reserved.

SYNERGY 21

Wiring Diagram

Accessories

Part No.	Name
151667	Synergy 21 LED Controller EOS 05 5-Kanal Handsender 4 Zonen RGB-WW (RGB-CCT)
123041	Synergy 21 LED Controller EOS 05 WLAN Controller Master Router

Errors and technical changes that serve the interests of progress or development of the product, are reserved.