


## Synergy 21 LED Flex Strip 60 NW DC12V 24W IP20



kwh/1000h:	24,00
Lumens:	1500
Watt:	24,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Synergy 21 LED Flex Strip neutral white DC12V 24W

Voltage: 12V  
Watt: 24W  
Light colour: neutral white 4250k ± 250K  
Beam angle: 120°  
Number of LEDs: 300  
Dimensions: 5000\*8\*3 mm  
Weight: 0.090 kg  
Can be shortened every 3 LEDs  
Adhesive tape for mounting aid on the back

Energy efficiency class: A  
kWh/1000h: 24

Strip can be shortened at marking points with sharp scissors.  
!Attention! Strip must first be checked for functionality.  
Only split the strip when no current is present.

Please note that LED strips must also be cooled.  
Make sure that the LED strip does not exceed the operating temperature of 40°C, otherwise the service life cannot be guaranteed.

## Attributes

Attribute	Value
Abstrahlwinkel:	120
Ampere:	2
CC oder CV:	CV
CRI:	>80
Dimmbar:	abhängig vom Netzteil
Länge:	5
LED Strip Klebeband:	ja
LED Strip Breite:	8
LED Strip Höhe:	3
LED Strip Klebeband:	ja
LED Strip kürzbar:	50
LED Strip Länge:	5000
Lichtfabe in Kelvin:	4250
Lichtfarbe:	neutralweiß
Lichtfarbe in Kelvin:	4250
Lichtfarbe Name:	neutralweiß
Lumen:	1600
Schutzklasse:	IP20
Volt:	12
Weight:	0.09 Kg

## Additional Images



## Accessories

Part No.	Name
81069	Synergy 21 LED zub Hollow Socket with Screw Terminals
81068	Synergy 21 LED zub wooden plug with screw terminals
81741	Synergy 21 LED Flex Strip add. Silicone mounting clip 10 pack
139522	Mean Well power supply - 12V 120W IP67