

Synergy 21 LED remote single color 4 zones *Milight/Miboxer*





Experience simple and convenient control of your lighting with the **2.4GHz 4 Zone RF Rotating Wheel Remote Control**. This innovative remote control is specially designed for controlling single-zone lighting solutions and offers you maximum flexibility and ease of use.

The remote control operates at a **transmission frequency of 2.4GHz** and uses the **GFSK** modulation method to ensure a stable and reliable connection. With a **transmission power of 6dBm** and a **control range of up to 30 metres**, you can conveniently adjust your lighting from a distance to create the perfect lighting mood.

Thanks to the extremely low **standby power consumption of just 20uA**, the remote control is particularly energyefficient and offers a long battery life. It requires **2 AAA batteries**, which are not included in the scope of delivery. The compact size of **110.5*53*22mm** makes this remote control handy and easy to use.

The **2.4GHz 4 Zone RF Rotating Wheel Remote Control** allows you to control up to four different zones independently of each other. This gives you the opportunity to create and customise different lighting scenarios for different areas of your home. The remote control's rotating control circuit enables precise and infinitely variable adjustment of the light intensity.

This modern and user-friendly design makes the remote control the ideal choice for anyone who wants to control their lighting conveniently and efficiently. Order the **2.4GHz 4 Zone RF Rotating Wheel Remote Control** now and enjoy the benefits of this advanced control solution. Transform your lighting with ease and create the perfect atmosphere in your home.

4 zone single colour remote control

Product Name: 2.4GHz 4 Zone RF Rotating Wheel Remote Control



Synergy21 - A Brand of ALLNET GmbH - Maistraße 2 - 82110 Germering - synergy21@allnet.de - 089 / 894 222 22 Errors and technical changes that serve the interests of progress or development of the product, are reserved.

SYNERGY 21

Model No.: FUT006 Voltage: 3V(2*AAA batteries) Transmission Frequency: 2.4GHz Modulation Method: GFSK Transmitting Power: 6dBm Standby Power Consumption: 20uA Control Distance: 30m Size: 110.5*53*22mm

Requires 2 AAA batteries, not included

Attributes

Attribute	Value	
Grösse:	110,5*53*22	
Weight:	0.1 Kg	
Warranty:	24.00 Months	

Additional Images







Synergy21 - A Brand of ALLNET GmbH - Maistraße 2 - 82110 Germering - synergy21@allnet.de - 089 / 894 222 22 Errors and technical changes that serve the interests of progress or development of the product, are reserved.











COMPATIBLE REMOTE SHEET

Abs Abs Abs Abs Abs Abs Abs Abs Abs	
1/2 / 1/2	

www.synergy21.de

Synergy21 - A Brand of ALLNET GmbH - Maistraße 2 - 82110 Germering - synergy21@allnet.de - 089 / 894 222 22 Errors and technical changes that serve the interests of progress or development of the product, are reserved.

Accessories

Part No.	Name
147689	Batterien Micro AAA 1,5V *Duracell* Industrial 10er Pack
149818	Synergy 21 LED controller 0-10V *Milight/Miboxer*

www.synergy21.de