


## Synergy 21 LED Prometheus IP68 Cold white V2



SYNERGY 21



kwh/1000h:	27,00
Lumens:	2160
Watt:	24,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Outdoor in-ground spotlight incl. bracket for wall and floor mounting

Beam angle: 120°  
Power consumption: 24 watts  
Lumen: 2880 lm 120lm/w  
Colour temperature: 6000K ±150  
Protection class: IP 68  
Colour: Cold white  
Total height: 160mm  
Diameter head: 150mm  
Heat sink diameter: 120mm  
Order power supply separately  
external constant current power supply: 115517


Energy efficiency class: A  
kWh/1000h: 26.4

## Attributes

Attribute	Value
Lichtfarbe:	kaltweiss

Attribute	Value
Lichtfarbe in Kelvin:	6000
Lumen:	2880
Weight:	1 Kg

## Additional Images



## Accessories

Part No.	Name
115517	Synergy 21 LED Prometheus IP68 power supply V2
81394	Synergy 21 LED Prometheus IP68 Zubehör, befahrbare Glasscheibe mit
88251	Synergy 21 LED Prometheus IP68 Zubehör, Deck-Ring
148726	Synergy 21 - Waterproof connector 1:1
148727	Synergy 21 - Waterproof connector 1:2
148730	Synergy 21 - Waterproof connector box 3 ports
148729	Synergy 21 - Waterproof connector box 3 ports transparent
148728	Synergy 21 - Waterproof connector box 4 ports
87838	Synergy 21 LED Prometheus IP68 RGB-W add. cable 3m
87839	Synergy 21 LED Prometheus IP68 RGB-W zub. Kabel 5m

Part No.	Name
92700	Synergy 21 LED Prometheus IP68 RGB-W zub. Ersatz Anschlußkabel 3m
89076	Synergy 21 LED Prometheus IP68 accessories, lenses