


## Synergy 21 LED Flex Strip 60 RGB DC24V + 54W IP20 SMD4040 RGB hohe Leistung 300LEDs



kwh/1000h:	59,40
Lumens:	1700
Watt:	54,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Synergy 21 LED Flex Strip RGB DC24V +  
SMD4040 RGB high power with 300LEDs

Voltage: 24V  
Watt: 54W±10%, 10.8W per metre  
LED: High power SMD 4040 60 LEDs per metre  
Light colour: RGB, common positive pole  
Beam angle: 120°  
Protection class: IP20  
Dimensions: 5000\*8\*2.2 mm  
PCB colour: white, open cable end  
Operating temperature: -25°C to +40°C  
Can be shortened every 6 LEDs  
Adhesive tape: yes 3M on the back

Energy efficiency class: B  
kWh/1000h: 60

Strip can be shortened at the markings with sharp scissors.  
!Attention! Strip must first be checked for functionality.  
Only split the strip when there is no current.



Our 3M adhesive tape adheres well, but should only be used as a mounting aid.  
There are a variety of mounting options, such as clips, permanently elastic mounting adhesive, cable ties, etc.


Please note that LED strips must also be cooled.  
Make sure that the LED strip does not exceed a working temperature of 40°C, otherwise its service life cannot be guaranteed.  
No guarantee can be given for overheated LED strips

## Attributes

Attribute	Value
Abstrahlwinkel:	120
Dimmbar:	Ja
LED Strip Länge:	5
Lichtfarbe:	RGB
Schutzklasse:	IP20
Weight:	0.6 Kg
Warranty:	60.00 Months

## Additional Images





## Accessories

Part No.	Name
81069	Synergy 21 LED zub Hollow Socket with Screw Terminals
81068	Synergy 21 LED zub wooden plug with screw terminals
81741	Synergy 21 LED Flex Strip add. Silicone mounting clip 10 pack
125198	Mean Well Power Supply - 24V 150W IP67
93682	Mean Well Power Supply - 24V 150W Dimmable IP65
183258	