

## Synergy 21 LED retrofit GU10 7W ww dimmbar V3



kwh/1000h:	7,00
Lumens:	695
Watt:	7,0
Nominal Service Life:	35000 Std.
Switching Cycles:	15000
Opt. Ambient Temperature.:	25 °C



Base: GU10  
Lumen: 695lm  
Kelvin: 2750K ±250  
Light colour: warm white  
CRI>82  
Dimmable: yes  
Operating voltage: 220-240V  
Power consumption: 7 W  
Beam angle 40°  
Protection class: IP40  
Diameter: 50mm  
Height without pins: 52mm  
Height with pins: 58mm  
Weight: 69g  
COB LED, ALU housing

Please note that the Synergy21 LED retrofit lamps may only be operated at an operating temperature between 0-50 C°.

The service life of the LEDs cannot be guaranteed in the event of deviations!

Energy efficiency class: A++  
kWh/1000h: 7

## Additional Images



## Accessories

Part No.	Name
148575	Synergy 21 by Casambi CBU-TED - triac dim
90378	Synergy 21 LED Demo Board GU10 / GX5, 3
88209	Synergy 21 LED Adapter / Socket for LED Bulbs Gu10
124215	Synergy 21 LED Retrofit GU10 / GX5, 3 recessed ceiling kit IP65
124217	Synergy 21 LED retrofit GU10 / GX5, 3 recessed ceiling kit IP65 white
124600	Synergy 21 LED retrofit GU10 / GX5, 3 Ceiling Installation Kit D01-silver
124619	Synergy 21 LED Retrofit GU10 / GX5, 3 recessed ceiling kit D03-silver
124628	Synergy 21 LED Retrofit GU10 / GX5,3 Deckeneinbausatz D04-weiß
124629	Synergy 21 LED Retrofit GU10 / GX5, 3 recessed ceiling kit D05-silver
124630	Synergy 21 LED retrofit GU10 / GX5.3 recessed ceiling kit D06-white
124635	Synergy 21 LED retrofit GU10 / GX5, 3 recessed ceiling kit D07-silver
124636	Synergy 21 LED Retrofit GU10 / GX5, 3 Ceiling Installation Kit D08-white
124637	Synergy 21 LED retrofit GU10 / GX5, 3 recessed ceiling kit D09-silver
124638	Synergy 21 LED Retrofit GU10 / GX5, 3 Ceiling Installation Kit D10-white
150705	Synergy 21 LED Fassung GU10 Deckenmontage

Part No.	Name
150706	Synergy 21 LED lampholder GU10 swivel ceiling mount
150707	Synergy 21 LED lampholder GU10 suspended ceiling mounting
150709	Synergy 21 LED socket GU10 Track series for track 02