


Synergy 21 LED Flex Strip 60 NW DC24V 96W IP20



kwh/1000h:	105,60
Lumens:	10250
Watt:	96,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



LED Flex Strip neutral white, PCB white
DC24V, max. 4.13A, 96W \pm 10%,
19.8W/m 0.9A/m
300Leds, 120°, 5730SMD,
can be shortened every 6 LEDs
Length: 5000*10*2mm
Lumen: 10250lm, 2050lm/m
Kelvin: 4200K \pm 250
Protection class: IP20, indoor

Adhesive tape for mounting aid on the back
Energy efficiency class: A+
kWh/1000h: 105.6



Please note that LED strips also need to be cooled.
Make sure that the LED strip does not exceed the working temperature of 40°C, otherwise the service life cannot be guaranteed.

Attributes

Attribute	Value
Abstrahlwinkel:	120

Attribute	Value
Ampere:	4
CC oder CV:	CV
CRI:	>80
Dimmbar:	abhängig vom Netzteil
Länge:	5
LED Strip Klebeband:	ja
LED Strip Breite:	10
LED Strip Höhe:	2
LED Strip Klebeband:	ja
LED Strip kürzbar:	100
LED Strip Länge:	5000
Lichtfabe in Kelvin:	4000
Lichtfarbe:	neutralweiß
Lichtfarbe in Kelvin:	4000
Lichtfarbe Name:	neutralweiß
Lumen:	10250
Schutzklasse:	IP20
Volt:	24
Weight:	0.15 Kg
Warranty:	60.00 Months

Additional Images





Accessories

Part No.	Name
174020	Synergy 21 Power supply - 24V 100W BILTON
174654	Synergy 21 LED FLEX-Streifen zub. Easy Connect I Form für 1 Linie klar
174653	Synergy 21 LED FLEX Strip add. Easy Connect I Form for 1 line red
174655	Synergy 21 LED FLEX Strip zub. Easy Connect I shape for 2 line red
174637	Synergy 21 LED FLEX-Strips add. Easy Connect strip to strip connection 10/12mm IP67
174633	Synergy 21 LED FLEX strips add. Simple connection of strips to cable 10/12mm IP67
174645	Synergy 21 LED FLEX Strip zub. Easy Connect Used to add connector to a non-stripped wire
124648	Mean Well Power Supply - 24V 100W IP67
180907	Synergy 21 Netzteil - 24V 108W Mean Well