


Synergy 21 LED Tube T8 SL series 120cm, neutral white e-compatible



kwh/1000h:	18,00
Lumens:	2700
Watt:	18,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



LED tube (tube)
powered from one side

Power consumption: 12-18 watts
Lumen: 140-150lm/W, 1680-2700 Lm
Input: 100-240VAC, 50/60HZ
Light colour: neutral white
Kelvin: 4100K ±250
CRI: >80
Beam angle: 140°
Length: 1200 mm
Diameter: 26 mm
Base: T8
Material: Polycarbonate (frosted glass look)

Operating temperature: -0°C ~ 45°C


Energy efficiency class: A++
kWh/1000h: 18

5 year guarantee
IES files available on request

Attributes

Attribute	Value
Abstrahlwinkel:	140
Betriebstemperatur:	-1 bis +45
CRI:	>80
Dimmbar:	nein
Grösse:	1200*26
LED - Gehäusefarbe:	silber
LED - Gehäusematerial:	PC
Lichtfarbe:	neutralweiß
Lichtfarbe in Kelvin:	4100
Lumen:	1680-2700
Schutzklasse:	IP40
Sockel:	T8
Volt:	230
Weight:	0.4 Kg
Warranty:	24.00 Months

Additional Images



Accessories

Part No.	Name
87036	Synergy 21 LED Adapter for LED Bulbs Tube T8 Socket
92734	Synergy 21 LED Tube T8 Series 120cm, IP55 socket
92735	Synergy 21 LED Tube T8 Series 120cm, IP20 socket
95799	Synergy 21 LED Adapter for LED Bulb Tube T8 Connection Cable
96794	Synergy 21 LED Tube T8 zub. Fastening clamp
107347	Synergy 21 LED Tube T8 zub replacement clips tube base 8 pcs
126589	Synergy 21 LED Tube T8 series 120cm, IP20 double base
126590	Synergy 21 LED Tube T8 series 120cm, IP55 double base
135118	Synergy 21 LED Tube T8 series 120cm, IP55 base Replacement cover
135121	Synergy 21 LED Tube T8 Serie 120cm, IP55 Doppel-Sockel Ersatzdeckel
135134	Synergy 21 LED Tube T8 add. xxxcm, IP55 base Replacement clips
134899	Synergy 21 Netzteil - Einschaltstrombegrenzer OSRAM
183813	Synergy 21 LED Tube T5 / T8 to standard power supply unit to emergency power supply 230V